



**GARAGE  
TECHNIC**



**AUTOMOTIVE GARAGE EQUIPMENT**

**PRODUCT  
CATALOG**

[www.garagetechnic.com](http://www.garagetechnic.com)




# GT320L14EA Scissors Lifts

## Technical Details

TECHNIC DETAIL	INFORMATION
<b>Model</b>	<b>GT320L14EA</b>
Max Lifting Capacity (Kg)	320
Sliding Case Lifting Capacity (Kg)	120
Max Number Of Personel	2
Closed Speed (Km/h)	3.5
Opem Speed (Km/h)	0.8
Max Driving Tilt (%)	15
Max Operating Tilt	1.5°
Wheel Diameter (Mm)	600
Engine	4.5 kv 24v
Battery	4x6v 330ah
Integrated Power Unit	24v 25a
Weight (Kg)	5300
Working Height (M)	13.50
Platform Height (M)	11.50
Ground Clearance (Cm)	20



Standart Features	Optional Features
Proportional Control	AC Power Up To Platform
Self - Locking Platform Door	Weight Sensor
Trackless Tires	Lighting System On The Platform
Automatic Braking System	Air Outlet Up To Platform
2wd	4x4 Driving
Emergency Stop Button	4x6v 330AH Backup Battery
Emergency Lowering System	
Cylinder Holding Valve	
Tilt Sensor	
Alarm in All Movements	
Horn	
Forklift Pockets	
Charge Protection	
Pliable Railings	
Warning Light	
Automatic Balancing	





# GT230L16 Scissors Lifts


## Technical Details



TECHNIC DETAIL	INFORMATION
<b>Model</b>	<b>GT230L16</b>
Max Lifting Capacity (Kg)	230
Sliding Case Lifting Capacity (Kg)	120
Max Number Of Personnel	2
Turn Diameter	270
Closed Speed (Km/h)	3.5
Open Speed (Km/h)	0.8
Max Driving Tilt (%)	10
Max Operating Tilt	X3-Y1.5
Wheel Diameter (Mm)	386
Engine	4.5 kv 24v
Battery	4x12v 300ah
Integrated Power Unit	24v 25a
Weight (Kg)	3200
Working Height (M)	16.00
Platform Height (M)	14.00
Ground Clearance (Cm)	2.00

Standart Features	Proportional Control Self - Locking Platform Door Trackless Tires Automatic Braking System 2wd Emergency Stop Button Emergency Lowering System Cylinder Holding Valve Tilt Sensor Alarm in All Movements Horn Forklift Pockets Charge Protection Pliable Railings Warning Light Automatic Balancing
-------------------	--

Optional Features	AC Power Up To Platform Weight Sensor Lighting System On The Platform Air Outlet Up To Platform 4x4 Driving 4x6v 330AH Backup Battery
-------------------	--





# GT230L14 Scissors Lifts


## Technical Details



TECHNIC DETAIL	INFORMATION
<b>Model</b>	<b>GT230L14</b>
Max Lifting Capacity (Kg)	230
Sliding Case Lifting Capacity (Kg)	120
Max Number Of Personnel	2
Turn Diameter	250
Closed Speed (Km/h)	3.5
Open Speed (Km/h)	0.8
Max Driving Tilt (%)	20
Max Operating Tilt	X3-Y1.5
Wheel Diameter (Mm)	386
Engine	4 kv 24v
Battery	4x6v 240ah
Integrated Power Unit	24v 25a
Weight (Kg)	2900
Working Height (M)	14.00
Platform Height (M)	16.00
Ground Clearance (Cm)	2.00

Standart Features	Information
	Proportional Control
	Self - Locking Platform Door
	Trackless Tires
	Automatic Braking System
	2wd
	Emergency Stop Button
	Emergency Lowering System
	Cylinder Holding Valve
	Tilt Sensor
	Alarm in All Movements
	Horn
	Forklift Pockets
	Charge Protection
	Pliable Railings
	Warning Light
	Automatic Balancing

Optional Features	Information
	AC Power Up To Platform
	Weight Sensor
	Lighting System On The Platform
	Air Outlet Up To Platform
	4x4 Driving
	4x6v 330AH Backup Battery






## GT230L12 Scissors Lifts

### Technical Details



TECHNIC DETAIL	INFORMATION
<b>Model</b>	<b>GT230L12</b>
Max Lifting Capacity (Kg)	320
Sliding Case Lifting Capacity (Kg)	120
Max Number Of Personel	2
Turn Diameter	220
Closed Speed (Km/h)	3.5
Opem Speed (Km/h)	0.8
Max Driving Tilt (%)	25
Max Operating Tilt	X3-Y1.5
Wheel Diameter (Mm)	386
Engine	3.5 kv 24v
Battery	4x6v 225ah
Integrated Power Unit	24v 25a
Weight (Kg)	2650
Working Height (M)	12.00
Platform Height (M)	10.00
Ground Clearance (Cm)	2.00
<b>Standart Features</b>	Proportional Control
	Self - Locking Platform Door
	Driving at Maximum Height
	Trackless Tires
	Automatic Braking System
	2wd
	Emergency Stop Button
	Emergency Lowering System
	Cylinder Holding Valve
	Tilt Sensor
	Alarm in All Movements
	Horn
	Forklift Pockets
	Charge Protection
Pliable Railings	
Warning Light	
<b>Optional Features</b>	AC Power Up To Platform
	Weight Sensor
	Lighting System On The Platform
	Air Outlet Up To Platform
	Impact Sensor





## GT230L10 Scissors Lifts

### Technical Details




TECHNIC DETAIL	INFORMATION
<b>Model</b>	<b>GT230L10</b>
Max Lifting Capacity (Kg)	230
Sliding Case Lifting Capacity (Kg)	120
Max Number Of Personnel	2
Turn Diameter	220
Closed Speed (Km/h)	3.5
Open Speed (Km/h)	0.8
Max Driving Tilt (%)	25
Max Operating Tilt	X3-Y1.5
Wheel Diameter (Mm)	386
Engine	3.5 kv 24v
Battery	4x6v 225ah
Integrated Power Unit	24v 25a
Weight (Kg)	2300
Working Height (M)	10.00
Platform Height (M)	8.00
Ground Clearance (Cm)	2.00

#### Standart Features

Proportional Control  
 Self - Locking Platform Door  
 Driving at Maximum Height  
 Trackless Tires  
 Automatic Braking System  
 2wd  
 Emergency Stop Button  
 Emergency Lowering System  
 Cylinder Holding Valve  
 Tilt Sensor  
 Alarm in All Movements  
 Horn  
 Forklift Pockets  
 Charge Protection  
 Pliable Railings  
 Warning Light

#### Optional Features

AC Power Up To Platform  
 Weight Sensor  
 Lighting System On The Platform  
 Air Outlet Up To Platform  
 Impact Sensor






# GT230L08 Scissors Lifts

## Technical Details

TECHNIC DETAIL	INFORMATION
<b>Model</b>	<b>GT230L08</b>
Max Lifting Capacity (Kg)	230
Sliding Case Lifting Capacity (Kg)	120
Max Number Of Personnel	2
Turn Diameter	170
Closed Speed (Km/h)	3.5
Opem Speed (Km/h)	0.8
Max Driving Tilt (%)	25
Max Operating Tilt	1.5°
Wheel Diameter (Mm)	300
Engine	3.3 kv 24v
Battery	2x12v 150ah
Integrated Power Unit	24v 25a
Weight (Kg)	1350
Working Height (M)	8.00
Platform Height (M)	4.00
Ground Clearance (Cm)	2.00

Standart Features	INFORMATION
	Proportional Control
	Self - Locking Platform Door
	Driving at Maximum Height
	Trackless Tires
	Automatic Braking System
	2wd
	Emergency Stop Button
	Emergency Lowering System
	Cylinder Holding Valve
	Tilt Sensor
	Alarm in All Movements
	Horn
	Forklift Pockets
	Charge Protection
	Pliable Railings
	Warning Light

Optional Features	INFORMATION
	AC Power Up To Platform
	Weight Sensor
	Lighting System On The Platform
	Air Outlet Up To Platform
	Impact Sensor





## GT230L06 Scissors Lifts

### Technical Details




TECHNIC DETAIL	INFORMATION
<b>Model</b>	<b>GT230L06</b>
Max Lifting Capacity (Kg)	120
Sliding Case Lifting Capacity (Kg)	120
Max Number Of Personnel	2
Turn Diameter	170
Closed Speed (Km/h)	3.5
Open Speed (Km/h)	0.8
Max Driving Tilt (%)	10
Max Operating Tilt	1.5°
Wheel Diameter (Mm)	300
Engine	3.3 kv 24v
Battery	2x12v 150ah
Integrated Power Unit	24v 25a
Weight (Kg)	1000
Working Height (M)	6.00
Platform Height (M)	4.00
Ground Clearance (Cm)	2.00

#### Standart Features

Proportional Control  
 Self - Locking Platform Door  
 Driving at Maximum Height  
 Trackless Tires  
 Automatic Braking System  
 2wd  
 Emergency Stop Button  
 Emergency Lowering System  
 Cylinder Holding Valve  
 Tilt Sensor  
 Alarm in All Movements  
 Horn  
 Forklift Pockets  
 Charge Protection  
 Pliable Railings  
 Warning Light

#### Optional Features

AC Power Up To Platform  
 Weight Sensor  
 Lighting System On The Platform  
 Air Outlet Up To Platform  
 Impact Sensor






# GT230L05.5 Scissors Lifts

## Technical Details

TECHNIC DETAIL	INFORMATION
<b>Model</b>	<b>GT120L5.5</b>
Max Lifting Capacity (Kg)	120
Max Number Of Personnel	2
Max Operating Tilt	1.5°
Wheel Diameter (Mm)	160
Engine	1.5 kv 12v
Battery	1x12v 150ah
Integrated Power Unit	12v 10a
Weight (Kg)	450
Working Height (M)	5.50
Platform Height (M)	3.50
Ground Clearance (Cm)	5
<b>Standart Features</b>	Proportional Control Self - Locking Platform Door Emergency Stop Button Emergency Lowering System Cylinder Holding Valve Tilt Sensor Alarm in All Movements Horn Forklift Pockets Charge Protection Warning Light
<b>Optional Features</b>	AC Power Up To Platform Weight Sensor Lighting System On The Platform Air Outlet Up To Platform





## GET IN TOUCH

**HEAD OFFICE**  
Fatih Mh. Oto Parçacılar Sitesi Boyluca Sk. C  
Blok No:28 Selçuklu/Konya/TURKEY  
+90 332 352 62 11  
info@garagetechnic.com

**BRANCH OFFICE**  
Hacımimi Mah. Lüleci Hendek Cad. No:47A  
Beyoğlu / İstanbul / TURKEY  
+90 212 356 96 16  
info@garagetechnic.com

[www.garagetechnic.com](http://www.garagetechnic.com)