



**GARAGE
TECHNIC**



AUTOMOTIVE GARAGE EQUIPMENT

**PRODUCT
CATALOG**

www.garagetechnic.com



SINGLE Piston Air Compressor

Technical Details



| Model | Stage | Tank Volume (Lt) | Air Intake (Lt/Dak) | Pressure (Bar) | Number Of Cylinder | Cylinder Diameter (mm) | Motor Power (Hp) | Dimension (Mm) W*L*H | Weight (Kg) |
|-----------------|--------|------------------|---------------------|----------------|--------------------|------------------------|------------------|----------------------|-------------|
| TK 200/2X70 M | Single | 200 | 340 | 8 | 2 | 70 70 | 2 220V | 550 1500 1050 | 150 |
| TK 200/2X70 | Single | 200 | 340 | 8 | 2 | 70 70 | 2 | 550 1500 1050 | 150 |
| TK 200/2X70 3 | Single | 200 | 400 | 8 | 2 | 70 70 | 3 | 550 1500 1050 | 150 |
| TK 300/2X90 | Single | 300 | 500 | 8 | 2 | 90 90 | 4 | 560 1700 1030 | 187 |
| TK 300/2X91 5 | Single | 300 | 700 | 8 | 2 | 90 90 | 5.5 | 560 1700 1050 | 190 |
| TK 500/2X91 5 | Single | 500 | 700 | 8 | 2 | 90 90 | 5.5 | 650 1950 1380 | 326 |
| TK 500/2X110 | Single | 500 | 750 | 8 | 2 | 110 110 | 7.5 | 650 1950 1380 | 326 |
| TK 500/3X90 | Single | 500 | 900 | 8 | 3 | 3 90 | 7.5 | 650 1950 1380 | 326 |
| TK 500/3X110 | Single | 500 | 1150 | 8 | 3 | 3 110 | 7.5 | 650 1950 1380 | 350 |
| TK 500/3X110 10 | Single | 500 | 1270 | 8 | 3 | 3 110 | 10 | 650 1950 1380 | 355 |



TWO STAGE Piston Air Compressor

Technical Details



| Model | Stage | Tank Volume (Lt) | Air Intake (Lt/Dak) | Pressure (Bar) | Number Of Cylinder | Cylinder Diameter (Mm) | Motor Power (Hp) | Dimension (Mm)W*L*H | Weight (Kg) |
|-----------------|-----------|------------------|---------------------|----------------|--------------------|------------------------|------------------|---------------------|-------------|
| CK 200/90X60 | Two Stage | 200 | 325 | 12 | 2 | 90 60 | 4 | 550 1500 1050 | 150 |
| ÇK 300/110X70 | Two Stage | 300 | 375 | 12 | 2 | 110 70 | 5.5 | 550 1700 1230 | 260 |
| ÇK 500/2X90X60 | Two Stage | 500 | 550 | 12 | 3 | 2 90 60 | 5.5 | 650 1950 1320 | 320 |
| ÇK 500 2X110X70 | Two Stage | 500 | 750 | 12 | 3 | 2 110 70 | 7.5 | 650 1950 1380 | 360 |



Mini Compressor

Technical Details



| Model | Stage | Tank Volume (Lt) | Voltage V/Hz | Pressure (Bar) | Engine Power (Hp) |
|--------|--------|------------------|--------------|----------------|-------------------|
| KT 25 | Single | 25 | 220/50 | 8 | 2 |
| KT 50 | Single | 50 | 220/50 | 8 | 2 |
| KT 100 | Single | 100 | 220/50 | 8 | 2 |
| KT 200 | Single | 200 | 220/50 | 8 | 3 |





Tank Mounted Screw Air Compressors

Technical Details



| Model | Working Pressure (Bar) | Capacity (m3/Min) | Motor Power (Kw/Hp) | Tank Volume (Lt) | Dryer Additional | dB(A) | Weight (Kg) | Dimensions (Mm) |
|---------------------------------|------------------------|-------------------|---------------------|------------------|------------------|-------|-------------|-----------------|
| OSC 3 (T, Td, VT, VTd) | 7.5 | 0.42 | 3/4 | 300 | ODRE 30 | 68 | 245-302 | 610*1690*1550 |
| | 10 | 0.35 | | | | | | |
| | 13 | 0.29 | | | | | | |
| OSC 4 (T, Td, VT, VTd) | 7.5 | 0.57 | 4/5 | 300 | ODRE 42 | 69 | 270-322 | 610*1690*1550 |
| | 10 | 0.48 | | | | | | |
| | 13 | 0.35 | | | | | | |
| OSC 5 (T, Td, VT, VTd) | 7.5 | 0.9 | 5.5/7 | 500 | ODRE 66 | 69 | 380-348 | 750*1850*1770 |
| | 10 | 0.7 | | | | | | |
| | 13 | 0.62 | | | | | | |
| OSC 7 (T, Td, VT, VTd) | 7.5 | 1.23 | 7.5/10 | 500 | ODRE 66 | 69 | 400-493 | 750*1850*1770 |
| | 10 | 0.97 | | | | | | |
| | 13 | 0.82 | | | | | | |
| OSC 11 (T, Td, VT, VTd) | 7.5 | 1.87 | 11/15 | 500 | ODRE 130 | 69 | 440-528 | 750*1850*1770 |
| | 10 | 1.62 | | | | | | |
| | 13 | 1.34 | | | | | | |
| OSC 11 (T-1, Td-1, VT-1, VTd-1) | 7.5 | 1.87 | 11/15 | 1000 | ODRE 130 | 69 | 560-638 | 930*1935*2000 |
| | 10 | 1.62 | | | | | | |
| | 13 | 1.34 | | | | | | |
| OSC 15 (T, Td, VT, VTd) | 7.5 | 2.43 | 15/20 | 500 | ODRE 168 | 70 | 490-603 | 750*1850*1770 |
| | 10 | 2.11 | | | | | | |
| | 13 | 1.8 | | | | | | |
| OSC 15 (T-1, Td-1, VT-1, VTd-1) | 7.5 | 2.43 | 15/20 | 1000 | ODRE 168 | 70 | 645-738 | 930*1935*2000 |
| | 10 | 2.11 | | | | | | |
| | 13 | 1.8 | | | | | | |
| OSC 18 (T, TD, VT, VTD) | 7.5 | 3.13 | 18.5/25 | 1000 | ODRE 210 | 70 | 715-818 | 940*2000*2140 |
| | 10 | 2.73 | | | | | | |
| | 13 | 2.32 | | | | | | |
| OSC 22 (T, TD, VT, VTD) | 7.5 | 3.67 | 22/30 | 1000 | ODRE 210 | 70 | 730-848 | 940*2000*2140 |
| | 10 | 3.22 | | | | | | |
| | 13 | 2.77 | | | | | | |
| OSC 30 (T, TD, VT, VTD) | 7.5 | 4.97 | 30/40 | 1000 | ODRE 305 | 70 | 890-920 | 940*2000*2140 |
| | 10 | 4.29 | | | | | | |
| | 13 | 3.73 | | | | | | |



Direct Coupled Screw Compressor Series

Technical Details



| Model | Working Pressure (Bar) | Capacity (m3/Min) | Motor Power (Kw/Hp) | dB(A) | Weight (Kg) | Connection Diameter | Dimensions (Mm) |
|-----------|------------------------|-------------------|---------------------|-------|-------------|---------------------|-----------------|
| OSC 30 U | 7.5 | 5.35 | 30/40 | 70 | 730 | 1" | 900*1600*1400 |
| | 10 | 3.75 | | | | | |
| | 13 | 3.71 | | | | | |
| OSC 37 U | 7.5 | 6.60 | 37/50 | 70 | 760 | 1 1/4 " | 1150*1500*1610 |
| | 10 | 5.30 | | | | | |
| | 13 | 4.04 | | | | | |
| OSC 45 U | 7.5 | 7.44 | 45/60 | 73 | 1000 | 1 1/2 " | 1150*1500*1610 |
| | 10 | 6.48 | | | | | |
| | 13 | 5.23 | | | | | |
| OSC 55 U | 7.5 | 9.17 | 55/75 | 74 | 1050 | 1 1/2 " | 1450*1600*1750 |
| | 10 | 7.36 | | | | | |
| | 13 | 7.25 | | | | | |
| OSC 75 U | 7.5 | 13.67 | 75/100 | 74 | 1750 | 2" | 1650*2000*1900 |
| | 10 | 10.81 | | | | | |
| | 13 | 8.80 | | | | | |
| OSC 90 U | 7.5 | 15.58 | 90/125 | 75 | 2375 | 2" | 1650*2000*1900 |
| | 10 | 13.42 | | | | | |
| | 13 | 10.66 | | | | | |
| OSC 110 U | 7.5 | 19.99 | 110/150 | 76 | 2650 | 2" | 1600*3200*1855 |
| | 10 | 15.30 | | | | | |
| | 13 | 12.74 | | | | | |
| OSC 132 U | 7.5 | 21.83 | 132/180 | 76 | 3460 | 3" | 1600*3200*1855 |
| | 10 | 19.62 | | | | | |
| | 13 | 17.53 | | | | | |
| OSC 160 U | 7.5 | 28.02 | 160/220 | 77 | 3850 | 3" | 1950*3500*2055 |
| | 10 | 23.03 | | | | | |
| | 13 | 18.70 | | | | | |
| OSC 200 U | 7.5 | 36.31 | 200/270 | 78 | 4420 | 4" | 2150*3700*2350 |
| | 10 | 31.03 | | | | | |
| | 13 | 21.99 | | | | | |
| OSC 250 U | 7.5 | 43.08 | 250/340 | 78 | 5750 | 4" | 2150*3700*2350 |
| | 10 | 36.16 | | | | | |
| | 13 | 30.70 | | | | | |
| OSC 315 U | 7.5 | 53.46 | 315/430 | 78 | 6000 | 4" | 2150*3900*2350 |
| | 10 | 46.04 | | | | | |
| | 13 | 39.37 | | | | | |
| OSC 355 U | 7.5 | 57.31 | 355/480 | 79 | 6250 | 4" | 2150*3900*2350 |
| | 10 | 52.95 | | | | | |
| | 13 | 45.34 | | | | | |



V Screw Compressor Series



Technical Details

| Model | Working Pressure (Bar) | Capacity (m3/Min) | Motor Power (Kw/Hp) | dB(A) | Weight (Kg) | Connection Diameter | Dimensions (mm) |
|-----------|------------------------|-------------------|---------------------|-------|-------------|---------------------|-----------------|
| OSC 3 V | 7.5 | 0.42 | 3/4 | 68 | 160-172 | 1/2" | 610*1110*1000 |
| | 10 | 0.35 | | | | | |
| | 13 | 0.29 | | | | | |
| OSC 4 V | 7.5 | 0.57 | 4/5 | 69 | 190-202 | 1/2" | 610*1110*1000 |
| | 10 | 0.48 | | | | | |
| | 13 | 0.35 | | | | | |
| OSC 5 V | 7.5 | 0.9 | 5.5/7 | 69 | 200-212 | 3/4 " | 750*1170*1120 |
| | 10 | 0.7 | | | | | |
| | 13 | 0.62 | | | | | |
| OSC 7 V | 7.5 | 1.23 | 7.5/10 | 69 | 230-248 | 3/4" | 750*1170*1120 |
| | 10 | 0.97 | | | | | |
| | 13 | 0.82 | | | | | |
| OSC 11 V | 7.5 | 1.87 | 11/15 | 69 | 290-308 | 3/4" | 750*1170*1120 |
| | 10 | 1.62 | | | | | |
| | 13 | 1.34 | | | | | |
| OSC 15 V | 7.5 | 2.43 | 15/20 | 70 | 350-368 | 3/4" | 750*1170*1120 |
| | 10 | 2.11 | | | | | |
| | 13 | 1.8 | | | | | |
| OSC 18 V | 7.5 | 3.13 | 18.5/25 | 70 | 440-470 | 3/4" | 900*1350*1155 |
| | 10 | 2.73 | | | | | |
| | 13 | 2.32 | | | | | |
| OSC 22 V | 7.5 | 3.67 | 22/30 | 70 | 500-530 | 3/4" | 900*1350*1255 |
| | 10 | 3.22 | | | | | |
| | 13 | 2.77 | | | | | |
| OSC 30 V | 7.5 | 4.97 | 30/40 | 70 | 580-610 | 3/4" | 900*1350*1255 |
| | 10 | 4.29 | | | | | |
| | 13 | 3.73 | | | | | |
| OSC 37 V | 7.5 | 6.21 | 37/50 | 70 | 660-740 | 1 1/4 " | 1020*1390*1610 |
| | 10 | 5.4 | | | | | |
| | 13 | 4.61 | | | | | |
| OSC 45 V | 7.5 | 7.46 | 45/60 | 72 | 840-920 | 1 1/4 " | 1020*1390*1610 |
| | 10 | 6.43 | | | | | |
| | 13 | 5.55 | | | | | |
| OSC 55 V | 7.5 | 9.72 | 55/75 | 74 | 1400-1445 | 1 1/2 " | 1450*1600*1750 |
| | 10 | 8.5 | | | | | |
| | 13 | 7.2 | | | | | |
| OSC 75 V | 7.5 | 12.82 | 75/100 | 75 | 1670-1750 | 2 " | 1650*2000*1900 |
| | 10 | 11.31 | | | | | |
| | 13 | 9.77 | | | | | |
| OSC 90 V | 7.5 | 16.34 | 90/125 | 75 | 2250-2330 | 2" | 1650*2000*1900 |
| | 10 | 14.15 | | | | | |
| | 13 | 12.02 | | | | | |
| OSC 110 V | 7.5 | 19.57 | 110/150 | 76 | 2650-2740 | 2" | 1700*2700*1855 |
| | 10 | 17.1 | | | | | |
| | 13 | 14.68 | | | | | |
| OSC 132 V | 7.5 | 22.96 | 132/180 | 77 | 3000-3090 | 2" | 1700*2700*1855 |
| | 10 | 20.23 | | | | | |
| | 13 | 17.52 | | | | | |



Direct Coupled Frequency Inverter Screw Compressor Series

Technical Details



| Model | Working Pressure (Bar) | Capacity (m3/Min) | Motor Power (Kw/Hp) | dB(A) | Weight (Kg) | Connection Diameter | Dimensions (Mm) |
|-----------|------------------------|-------------------|---------------------|-------|-------------|---------------------|-----------------|
| OSC 18 D | 7.5 | 3.27 | 18.5/25 | 71 | 470 | 3/4" | 900*1600*1410 |
| | 10 | 2.85 | | | | | |
| | 13 | 2.43 | | | | | |
| OSC 22 D | 7.5 | 3.82 | 22/30 | 71 | 500 | 3/4" | 900*1600*1410 |
| | 10 | 3.36 | | | | | |
| | 13 | 2.89 | | | | | |
| OSC 30 D | 7.5 | 5.04 | 30/40 | 71 | 700 | 1" | 900*1600*1410 |
| | 10 | 4.47 | | | | | |
| | 13 | 3.89 | | | | | |
| OSC 37 D | 7.5 | 6.42 | 37/50 | 71 | 840 | 1 1/4 " | 1150*1500*1610 |
| | 10 | 6.42 | | | | | |
| | 13 | 4.77 | | | | | |
| OSC 45 D | 7.5 | 6.62 | 45/60 | 72 | 920 | 1 1/2 " | 1150*1500*1610 |
| | 10 | 6.7 | | | | | |
| | 13 | 5.79 | | | | | |
| OSC 55 D | 7.5 | 10.18 | 55/75 | 74 | 1450 | 1 1/2 " | 1450*1600*1750 |
| | 10 | 8.86 | | | | | |
| | 13 | 7.53 | | | | | |
| OSC 75 D | 7.5 | 13.29 | 75/100 | 75 | 2120 | 2" | 1650*2000*1900 |
| | 10 | 11.74 | | | | | |
| | 13 | 10.17 | | | | | |
| OSC 90 D | 7.5 | 16.94 | 90/125 | 75 | 2350 | 2" | 1650*2000*1900 |
| | 10 | 14.69 | | | | | |
| | 13 | 12.51 | | | | | |
| OSC 110 D | 7.5 | 20.29 | 110/150 | 76 | 2740 | 2" | 1600*3200*1855 |
| | 10 | 17.76 | | | | | |
| | 13 | 15.28 | | | | | |
| OSC 132 D | 7.5 | 23.86 | 132/180 | 77 | 3250 | 3" | 1600*3200*1855 |
| | 10 | 21.07 | | | | | |
| | 13 | 18.28 | | | | | |
| OSC 160 D | 7.5 | 30.23 | 160/220 | 77 | 3980 | 3" | 1950*3500*2055 |
| | 10 | 26.11 | | | | | |
| | 13 | 21.62 | | | | | |
| OSC 200 D | 7.5 | 41.02 | 200/270 | 78 | 5310 | 4" | 2150*3700*2350 |
| | 10 | 34.22 | | | | | |
| | 13 | 28.37 | | | | | |
| OSC 250 D | 7.5 | 50.21 | 250/340 | 78 | 6250 | 4" | 2150*3700*2350 |
| | 10 | 42.1 | | | | | |
| | 13 | 35.69 | | | | | |
| OSC 315 D | 7.5 | 55.25 | 315/430 | 79 | 6550 | 4" | 2150*3900*2350 |
| | 10 | 46.42 | | | | | |
| | 13 | 39.75 | | | | | |



GET IN TOUCH

HEAD OFFICE
Fatih Mh. Oto Parçacılar Sitesi Boyluca Sk. C
Blok No:28 Selçuklu/Konya/TURKEY
+90 332 352 62 11
info@garagetechnic.com

BRANCH OFFICE
Hacımimi Mah. Lüleci Hendek Cad. No:47A
Beyoğlu / İstanbul / TURKEY
+90 212 356 96 16
info@garagetechnic.com

www.garagetechnic.com