



**GARAGE
TECHNIC**



AUTOMOTIVE GARAGE EQUIPMENT

**PRODUCT
CATALOG**

www.garagetechnic.com



A-1/5 D Air Operated Grease Pump With Distributor

Technical Details

Model	AGP 101
Working Pressure (Bar)	6 8
Press Ratio	1/45
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	1.1 1.4
Capacity (Kg)	5
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	11,85
Packing Weight (Kg)	12,4
Packing Dimensions (Cm)	25 26 66





A-1/5 Air Operated Grease Pump

Technical Details

Model	AGP 102
Working Pressure (Bar)	6 8
Press Ratio	1/45
Air Consumption Lt/Min)	80 90
Output Kg/Min)	1.1 1.4
Capacity (Kg)	5
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	11,90
Packing Weight (Kg)	12,4
Packing Dimensions (Cm)	25 26 66





A-1/5 T Air Operated Grease Pump

Technical Details

Model	AGP 103
Working Pressure (Bar)	6 8
Press Ratio	1/45
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	1.1 1.4
Capacity (Kg)	5
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	12,85
Packing Weight (Kg)	13,3
Packing Dimensions (Cm)	25 26 66





A-1/10 Air Operated Grease Pump

Technical Details

Model	AGP 104
Working Pressure (Bar)	6 8
Press Ratio	1/45
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	1.1 1.4
Capacity (Kg)	10
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	15
Packing Weight (Kg)	16,3
Packing Dimensions (Cm)	35 36 74





A-1/16 Air Operated Grease Pump

Technical Details



Model	AGP 105
Working Pressure (Bar)	6 8
Press Ratio	1/45
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	1.1 1.4
Capacity (Kg)	16
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	10.9
Packing Weight (Kg)	12
Packing Dimensions (Cm)	38 38 59



A-1/30 Air Operated Grease Pump

Technical Details

Model	AGP 106
Working Pressure (Bar)	6.8
Press Ratio	1/45
Air Consumption (Lt/Min)	80-90
Output (Kg/Min)	1.1-1.4
Capacity (Kg)	30
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	19.7
Packing Weight (Kg)	21.25
Packing Dimensions (Cm)	40 40 94





A-1/50 Air Operated Grease Pump

Technical Details

Model	AGP 107
Working Pressure (Bar)	6 8
Press Ratio	1/45
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	1.1 1.4
Capacity (Kg)	50
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	21,85
Packing Weight (Kg)	23,4
Packing Dimensions (Cm)	38 38 112





A-2/5 D Air Operated Grease Pump With Distributor

Technical Details

Model	AGP 108
Working Pressure (Bar)	6 8
Press Ratio	1/70
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	0,85 1
Capacity (Kg)	5
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	12,8
Packing Weight (Kg)	13,25
Packing Dimensions (Cm)	25 26 66





A-2/5 Air Operated Grease Pump

Technical Details

Model	AGP 109
Working Pressure (Bar)	6 8
Press Ratio	1/70
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	0,85 1
Capacity (Kg)	5
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	12,8
Packing Weight (Kg)	13,25
Packing Dimensions (Cm)	25 26 66





A-2/5 T Air Operated Grease Pump With Wheel

Technical Details

Model	AGP 110
Working Pressure (Bar)	6 8
Press Ratio	1/70
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	0,85 1
Capacity (Kg)	5
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	13,6
Packing Weight (Kg)	14
Packing Dimensions (Cm)	25 26 66





A-2/10 Air Operated Grease Pump

Technical Details

Model	AGP 111
Working Pressure (Bar)	6.8
Press Ratio	1/70
Air Consumption (Lt/Min)	80-90
Output (Kg/Min)	0.85-1
Capacity (Kg)	10
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	15.8
Packing Weight (Kg)	17
Packing Dimensions (Cm)	35 36 74





A-2/16 Air Operated Grease Pump

Technical Details



Model	AGP 112
Working Pressure (Bar)	6.8
Press Ratio	1/70
Air Consumption (Lt/Min)	80-90
Output (Kg/Min)	0.85-1
Capacity (Kg)	16
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	12
Packing Weight (Kg)	13
Packing Dimensions (Cm)	38 38 59



A-2/30 Air Operated Grease Pump

Technical Details

Model	AGP 113
Working Pressure (Bar)	6 8
Press Ratio	1/70
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	0,85 1
Capacity (Kg)	30
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	20,75
Packing Weight (Kg)	22,3
Packing Dimensions (Cm)	40 40 94





A-2/50 Air Operated Grease Pump

Technical Details

Model	AGP 114
Working Pressure (Bar)	6.8
Press Ratio	1/70
Air Consumption (Lt/Min)	80-90
Output (Kg/Min)	0,85-1
Capacity (Kg)	50
Hose Length (Mt)	2
Hose Size	1/4 R2
Weight (Kg)	23,2
Packing Weight (Kg)	24,8
Packing Dimensions (Cm)	38 38 112





A-3 Air Operated Grease Pump

Technical Details

Model	AGP 115
Working Pressure (Bar)	6 8
Press Ratio	1/45
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	1,1 1,4
Capacity (Kg)	Barrel
Hose Length (Mt)	10
Hose Size	1/4 R2
Weight (Kg)	8,65
Packing Weight (Kg)	9,5
Packing Dimensions (Cm)	15 14 116





A-4 Air Operated Grease Pump

Technical Details



Model	AGP 116
Working Pressure (Bar)	6 8
Press Ratio	1/45
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	1,1 1,4
Capacity (Kg)	Barrel
Hose Length (Mt)	10
Hose Size	1/4 R2
Weight (Kg)	8,65
Packing Weight (Kg)	9,5
Packing Dimensions (Cm)	15 14 116



A-1/10 Air Operated Grease Pump Body

Technical Details

Model	AGP 118
Working Pressure (Bar)	6 8
Press Ratio	1/45
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	1,1 1,4
Capacity (Kg)	10
Hose Length (Mt)	10
Hose Size	1/4 R2
Weight (Kg)	6,95
Packing Weight (Kg)	7,4
Packing Dimensions (Cm)	16 17 80





A-1/30 Air Operated Grease Pump Body

Technical Details

Model	AGP 120
Working Pressure (Bar)	6 8
Press Ratio	1/45
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	1,1 1,4
Capacity (Kg)	30
Hose Length (Mt)	10
Hose Size	1/4 R2
Weight (Kg)	7,55
Packing Weight (Kg)	8
Packing Dimensions (Cm)	16 17 80





A-1/50 Air Operated Grease Pump Body

Technical Details

Model	AGP 121
Working Pressure (Bar)	6 8
Press Ratio	1/45
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	1,1 1,4
Capacity (Kg)	50
Hose Length (Mt)	10
Hose Size	1/4 R2
Weight (Kg)	8,2
Packing Weight (Kg)	9
Packing Dimensions (Cm)	16 17 80





A-2/10 Air Operated Grease Pump Body

Technical Details

Model	AGP 123
Working Pressure (Bar)	6 8
Press Ratio	1/70
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	0,85 1
Capacity (Kg)	10
Hose Length (Mt)	40
Hose Size	1/4 R2
Weight (Kg)	7,8
Packing Weight (Kg)	8,25
Packing Dimensions (Cm)	16 17 80





A-2/30 Air Operated Grease Pump Body

Technical Details

Model	AGP 125
Working Pressure (Bar)	6 8
Press Ratio	1/70
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	0,85 1
Capacity (Kg)	30
Hose Length (Mt)	40
Hose Size	1/4 R2
Weight (Kg)	8,35
Packing Weight (Kg)	8,8
Packing Dimensions (Cm)	16 17 80





A-2/50 Air Operated Grease Pump Body

Technical Details

Model	AGP 126
Working Pressure (Bar)	6 8
Press Ratio	1/70
Air Consumption (Lt/Min)	80 90
Output (Kg/Min)	0,85 1
Capacity (Kg)	50
Hose Length (Mt)	40
Hose Size	1/4 R2
Weight (Kg)	8,9
Packing Weight (Kg)	9,75
Packing Dimensions (Cm)	16 17 80





Grease Gun

Technical Details




Model	AGP 127
Working Pressure (Bar)	6 8
Hose Size	1/4 R 2
Weight (Kg)	1
Packing Dimensions (Cm)	30 25 15



Grease Gun With Spirale Hose

Technical Details



Model	AGP 128
Working Pressure (Bar)	6 8
Hose Size	1/4 R 2
Weight (Kg)	1.15
Packing Dimensions (Cm)	30 25 15



B-1/30 Air Operated Oil Pump

Technical Details

Model	IYP 201
Working Pressure (Bar)	6.8
Press Ratio	1/4
Air Consumption (Lt/Min)	80-90
Output (Lt/Min)	7
Capacity (Lt)	45
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	19,15
Packing Weight (Kg)	20,75
Packing Dimensions (Cm)	40 40 94





B-1/50 Air Operated Oil Pump

Technical Details

Model	IYP 202
Working Pressure (Bar)	6.8
Press Ratio	1/4
Air Consumption (Lt/Min)	80-90
Output (Lt/Min)	7
Capacity (Lt)	75
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	21,7
Packing Weight (Kg)	23,3
Packing Dimensions (Cm)	38 38 112





B-5/30 Air Operated Oil Pump

Technical Details

Model	IYP 213
Working Pressure (Bar)	6.8
Press Ratio	1/4
Air Consumption Lt/Min)	80-90
Output Lt/Min)	12
Capacity (Lt)	45
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	19,55
Packing Weight (Kg)	21,1
Packing Dimensions (Cm)	40 40 94





B-1/30 S Air Operated Oil Pump With Counter Oil Gun

Technical Details

Model	IYP 203
Working Pressure (Bar)	6.8
Press Ratio	1/4
Air Consumption (Lt/Min)	80-90
Output (Lt/Min)	7
Capacity (Lt)	45
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	19,65
Packing Weight (Kg)	21,2
Packing Dimensions (Cm)	40 40 94





B-1/50 S Air Operated Oil Pump With Counter Oil Gun

Technical Details

Model	IYP 204
Working Pressure (Bar)	6 8
Press Ratio	1/4
Air Consumption (Lt/Min)	80 90
Output (Lt/Min)	7
Capacity (Lt)	75
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	22,2
Packing Weight (Kg)	23,8
Packing Dimensions (Cm)	38 38 112





B-5/30 S Air Operated Oil Pump With Counter Oil Gun

Technical Details

Model	IYP 215
Working Pressure (Bar)	6.8
Press Ratio	1/4
Air Consumption (Lt/Min)	80-90
Output (Lt/Min)	12
Capacity (Lt)	45
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	20
Packing Weight (Kg)	21,6
Packing Dimensions (Cm)	40 40 94





B-5/50 Air Operated Oil Pump

Technical Details

Model	IYP 214
Working Pressure (Bar)	6.8
Press Ratio	1/4
Air Consumption (Lt/Min)	80-90
Output (Lt/Min)	12
Capacity (Lt)	75
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	22,1
Packing Weight (Kg)	23,7
Packing Dimensions (Cm)	38 38 112





B-6/90 Air Operated Oil Pump

Technical Details

Model	IYP 240
Working Pressure (Bar)	6 8
Press Ratio	1/4
Air Consumption (Lt/Min)	80 90
Output (Lt/Min)	1 2
Capacity (Lt)	100
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	27,95
Packing Weight (Kg)	30,25
Packing Dimensions (Cm)	52 52 106





B-2 Air Operated Oil Pump

Technical Details



Model	IYP 205
Working Pressure (Bar)	6.8
Press Ratio	1/1
Air Consumption (Lt/Min)	80-90
Output (Lt/Min)	30
Capacity (Lt)	100
Hose Length (Mt)	2
Hose Size	3/4
Weight (Kg)	7,7
Packing Weight (Kg)	8,4
Packing Dimensions (Cm)	16 14 126



B-5/50 S Air Operated Oil Pump With Counter Oil Gun

Technical Details

Model	IYP 216
Working Pressure (Bar)	6 8
Press Ratio	1/4
Air Consumption (Lt/Min)	80 90
Output (Lt/Min)	12
Capacity (Lt)	75
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	22,6
Packing Weight (Kg)	24,15
Packing Dimensions (Cm)	38 38 112





B-6/90 S Air Operated Oil Pump With Counter Oil Gun

Technical Details

Model	IYP 241
Working Pressure (Bar)	6.8
Press Ratio	1/4
Air Consumption (Lt/Min)	80-90
Output (Lt/Min)	12
Capacity (Lt)	100
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	28,4
Packing Weight (Kg)	30,7
Packing Dimensions (Cm)	52 52 106





B-3/30 Air Operated Oil Tank With Counter Oil Gun

Technical Details

Model	IYP 243
Working Pressure (Bar)	5
Press Ratio	1/1
Air Consumption (Lt/Min)	30
Output (Lt/Min)	2,5
Capacity (Lt)	30
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	11,9
Packing Weight (Kg)	13
Packing Dimensions (Cm)	38 38 71





B-3/90 Air Operated Oil Tank

Technical Details

Model	IYP 208
Working Pressure (Bar)	5
Press Ratio	1/1
Air Consumption Lt/Min)	90
Output Lt/Min)	2,5
Capacity (Lt)	100
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	19,35
Packing Weight (Kg)	21,45
Packing Dimensions (Cm)	52 52 106





B-3/30 S Air Operated Oil Tank With Counter Oil Gun

Technical Details



Model	IYP 243
Working Pressure (Bar)	5
Press Ratio	1/1
Air Consumption (Lt/Min)	30
Output (Lt/Min)	2,5
Capacity (Lt)	30
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	11,9
Packing Weight (Kg)	13
Packing Dimensions (Cm)	38 38 71



B-3/60 S Air Operated Oil Tank With Counter Oil Gun

Technical Details



Model	IYP 207
Working Pressure (Bar)	5
Press Ratio	1/1
Air Consumption (Lt/Min)	60
Output (Lt/Min)	2,5
Capacity (Lt)	60
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	17,5
Packing Weight (Kg)	19,25
Packing Dimensions (Cm)	50 50 84



B-3/90 S Air Operated Oil Tank With Counter Oil Gun

Technical Details



Model	IYP 209
Working Pressure (Bar)	5
Press Ratio	1/1
Air Consumption (Lt/Min)	90
Output (Lt/Min)	2,5
Capacity (Lt)	100
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	19,85
Packing Weight (Kg)	21,9
Packing Dimensions (Cm)	52 52 106



B-4 Air Operated Oil Tank With Counter Oil Gun

Technical Details



Model	IYP 210
Working Pressure (Bar)	6 8
Press Ratio	1/4
Air Consumption (Lt/Min)	80 90
Output (Lt/Min)	7
Capacity (Lt)	Barrel
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	9,85
Packing Weight (Kg)	10,8
Packing Dimensions (Cm)	15 14 116



B-4 D Wall Type Air Operated Oil Pump

Technical Details

Model	IYP 211
Working Pressure (Bar)	6 8
Press Ratio	1/4
Air Consumption (Lt/Min)	80 90
Output (Lt/Min)	7
Capacity (Lt)	
Suction Hose Size (Mt)	3/4
Output Hose Size	3/8 R1
Weight (Kg)	9,4
Packing Weight (Kg)	10
Packing Dimensions (Cm)	16 17 80





B-4 T Tank Type Air Operated Oil Pump

Technical Details

Model	IYP 212
Working Pressure (Bar)	6 8
Press Ratio	1/4
Air Consumption (Lt/Min)	80 90
Output (Lt/Min)	7
Capacity (Lt)	
Suction Hose Size (Mt)	3/4
Output Hose Size	3/8 R1
Weight (Kg)	9,6
Packing Weight (Kg)	10
Packing Dimensions (Cm)	16 17 80





B-5 Tank Type Air Operated Oil Pump

Technical Details

Model	IYP 217
Working Pressure (Bar)	6 8
Press Ratio	1/4
Air Consumption (Lt/Min)	80 90
Output (Lt/Min)	12
Capacity (Lt)	Barrel
Suction Hose Size (Mt)	
Output Hose Size	3/8 R1
Weight (Kg)	10,15
Packing Weight (Kg)	11
Packing Dimensions (Cm)	15 14 116





B-5 D Tank Type Air Operated Oil Pump

Technical Details

Model	IYP 218
Working Pressure (Bar)	6 8
Press Ratio	1/4
Air Consumption (Lt/Min)	80 90
Output (Lt/Min)	12
Capacity (Lt)	
Suction Hose Size (Mt)	3/4
Output Hose Size	3/8 R1
Weight (Kg)	9,8
Packing Weight (Kg)	10,25
Packing Dimensions (Cm)	16 17 80





B-5 T Tank Type Air Operated Oil Pump

Technical Details

Model	IYP 219
Working Pressure (Bar)	6 8
Press Ratio	1/4
Air Consumption (Lt/Min)	80 90
Output (Lt/Min)	12
Capacity (Lt)	
Suction Hose Size (Mt)	3/4
Output Hose Size	3/8 R1
Weight (Kg)	10,2
Packing Weight (Kg)	11
Packing Dimensions (Cm)	16 17 80





C-1/2 Mechanical Grease Pump

Technical Details



Model	MGP 301
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Tubular End
Output (g/Stroke)	9
Capacity (Kg)	2
Hose Length (Mt)	1
Hose Size	1/4 R1
Weight (Kg)	3,85
Packing Weight (Kg)	4,3
Packing Dimensions (Cm)	26 32 47



C-1/3 Mechanical Grease Pump

Technical Details



Model	MGP 302
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Tubular End
Output (g/Stroke)	9
Capacity (Kg)	3
Hose Length (Mt)	1
Hose Size	1/4 R1
Weight (Kg)	4,65
Packing Weight (Kg)	5,1
Packing Dimensions (Cm)	26 32 47



C-1/5 Mechanical Grease Pump

Technical Details

Model	MGP 303
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Tubular End
Output (g/Stroke)	9
Capacity (Kg)	5
Hose Length (Mt)	1
Hose Size	1/4 R1
Weight (Kg)	6
Packing Weight (Kg)	6,45
Packing Dimensions (Cm)	26 32 47





C-1/2 D Mechanical Grease Pump With Distributor

Technical Details



Model	MGP 304
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Distributor
Output (g/Stroke)	9
Capacity (Kg)	2
Hose Length (Mt)	1
Hose Size	1/4 R1
Weight (Kg)	4,85
Packing Weight (Kg)	5,3
Packing Dimensions (Cm)	26 32 47



C-1/3 D Mechanical Grease Pump With Distributor

Technical Details

Model	MGP 305
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Distributor
Output (g/Stroke)	9
Capacity (Kg)	3
Hose Length (Mt)	1
Hose Size	1/4 R1
Weight (Kg)	5,7
Packing Weight (Kg)	6,15
Packing Dimensions (Cm)	26 32 47





C-1/3 D Mechanical Grease Pump With Distributor

Technical Details



Model	MGP 306
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Distributor
Output (g/Stroke)	9
Capacity (Kg)	5
Hose Length (Mt)	1
Hose Size	1/4 R1
Weight (Kg)	6,65
Packing Weight (Kg)	7,25
Packing Dimensions (Cm)	26 32 47



C-1/3 D Mechanical Grease Pump

Technical Details

Model	MGP 307
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Tubular End
Output (g/Stroke)	9
Capacity (Kg)	10
Hose Length (Mt)	1,5
Hose Size	1/4 R1
Weight (Kg)	11,7
Packing Weight (Kg)	12,75
Packing Dimensions (Cm)	35 36 74





C-1/16 Mechanical Grease Pump

Technical Details



Model	MGP 308
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Tubular End
Output (g/Stroke)	9
Capacity (Kg)	16
Hose Length (Mt)	1,5
Hose Size	1/4 R1
Weight (Kg)	8,2
Packing Weight (Kg)	9,35
Packing Dimensions (Cm)	38 38 59



C-1/25 Mechanical Grease Pump

Technical Details

Model	MGP 309
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Tubular End
Output (g/Stroke)	9
Capacity (Kg)	25
Hose Length (Mt)	1,5
Hose Size	1/4 R1
Weight (Kg)	13,45
Packing Weight (Kg)	14,6
Packing Dimensions (Cm)	38 38 71





D-1/18 Mechanical Oil Pump

Technical Details

Model	MIP 310
Working Form	Mechanical
Application Form	Rotary
Discharge Mode	Tubular End
Output (g/Stroke)	250
Capacity (Kg)	18
Hose Length (Mt)	1,5
Hose Size	1/2
Weight (Kg)	10,4
Packing Weight (Kg)	11,55
Packing Dimensions (Cm)	33 33 86





D-2/3 Mechanical Oil Pump

Technical Details



Model	MIP 311
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Tubular End
Output (g/Stroke)	120
Capacity (Kg)	3
Hose Length (Mt)	1,5
Hose Size	1/4
Weight (Kg)	4,7
Packing Weight (Kg)	5,15
Packing Dimensions (Cm)	26 32 47



D-2/7 Mechanical Oil Pump

Technical Details



Model	MIP 312
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Tubular End
Output (g/Stroke)	120
Capacity (Kg)	7
Hose Length (Mt)	1,5
Hose Size	1/4
Weight (Kg)	5,7
Packing Weight (Kg)	6,15
Packing Dimensions (Cm)	26 32 47



D-2/25 Mechanical Oil Pump

Technical Details



Model	MIP 313
Working Form	Mechanical
Application Form	Pressing
Discharge Mode	Tubular End
Output (g/Stroke)	9
Capacity (Kg)	25
Hose Length (Mt)	1,5
Hose Size	1/2
Weight (Kg)	11,9
Packing Weight (Kg)	13
Packing Dimensions (Cm)	38 38 71



D-2/25 Barrel Type Mechanical Oil Pump

Technical Details



Model	MIP 314
Working Form	Mechanical
Application Form	Rotary
Discharge Mode	Tubular
Output (g/Stroke)	1
Capacity (Kg)	Barrel
Hose Length (Mt)	
Hose Size	1
Weight (Kg)	11,8
Packing Weight (Kg)	13
Packing Dimensions (Cm)	22 19 126



KYE/9 YCP 501 Air Operated Oil Changer

Technical Details

Model	YCP 501
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	9
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	8,85
Packing Weight (Kg)	10
Packing Dimensions (Cm)	35 36 74





KYE/30 YCP 502 Air Operated Oil Changer

Technical Details

Model	YCP 502
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	30
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	13,6
Packing Weight (Kg)	15,2
Packing Dimensions (Cm)	40 40 94





KYE/30 F YCP 503 Air Operated Oil Changer

Technical Details

Model	YCP 503
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	30
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	15,5
Packing Weight (Kg)	16,55
Packing Dimensions (Cm)	38 38 112





KYE/30 K YCP 504 Air Operated Oil Changer

Technical Details

Model	YCP 504
Working Pressure (Bar)	6 - 10
Output (L./min)	1,5 - 3
Capacity (Lt)	45
Hose Length (Mt)	1,5
Hose Size (Mm)	10 - 16
Weight (Kg)	15,15
Packing Weight (Kg)	16,70
Packing Dimensions (Cm)	38 - 38 - 112





KYE/60 YCP 505 Air Operated Oil Changer

Technical Details

Model	YCP 505
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	60
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	20,7
Packing Weight (Kg)	23,25
Packing Dimensions (Cm)	51 51 119





KYE/60 H YCP 506 Air Operated Oil Changer

Technical Details

Model	YCP 506
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	60
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	23,85
Packing Weight (Kg)	26,5
Packing Dimensions (Cm)	51 51 119





KYE/90 YCP 507 Air Operated Oil Changer

Technical Details

Model	YCP 507
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	26,7
Packing Weight (Kg)	29,65
Packing Dimensions (Cm)	52 52 120





KYE/90 D YCP 508 Air Operated Oil Changer

Technical Details

Model	YCP 508
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	23,15
Packing Weight (Kg)	26,05
Packing Dimensions (Cm)	52 52 120





KYE/90 DH YCP 509 Air Operated Oil Changer

Technical Details

Model	YCP 509
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	26,5
Packing Weight (Kg)	29,5
Packing Dimensions (Cm)	52 52 120





KYE/90 H YCP 510 Air Operated Oil Changer

Technical Details

Model	YCP 510
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	29,55
Packing Weight (Kg)	32,45
Packing Dimensions (Cm)	52 52 120





KYE/90 A YCP 511 Air Operated Oil Changer

Technical Details

Model	YCP 511
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	21,85
Packing Weight (Kg)	24
Packing Dimensions (Cm)	52 52 105





KYE/90 B YCP 512 Air Operated Oil Changer

Technical Details

Model	YCP 512
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	24,6
Packing Weight (Kg)	26,9
Packing Dimensions (Cm)	52 52 105





KYE/90 T YCP 513 Air Operated Oil Changer

Technical Details

Model	YCP 513
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	37,15
Packing Weight (Kg)	41
Packing Dimensions (Cm)	53 65 153





KYE/90 TF YCP 514 Air Operated Oil Changer

Technical Details

Model	YCP 514
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	39,45
Packing Weight (Kg)	43,3
Packing Dimensions (Cm)	53 65 153





KYE/90 TFP YCP 515 Air Operated Oil Changer

Technical Details

Model	YCP 515
Working Pressure (Bar)	6 10
Output (L./min)	1,5 3
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	47,95
Packing Weight (Kg)	51,8
Packing Dimensions (Cm)	53 65 153





YBT/90 F Waste Oil Drain Bucket

Technical Details

Model	YBT/90 F
Working Form	Air Operated
Working Pressure (Bar)	0,5
Capacity (Lt)	100 13
Hose Length (Mt)	1,5
Hose Size	10 16
Weight (Kg)	23,9
Packing Weight (Kg)	27,8
Packing Dimensions (Cm)	53 65 153





WOD 60 Waste Oil Drain Tank

Technical Details



Model	WOD 60
Working Form	Air Operated
Working Pressure (Bar)	0,5
Capacity (Lt)	60
Hose Length (Mt)	1,5
Hose Size	3/4
Weight (Kg)	27,6
Packing Weight (Kg)	29
Packing Dimensions (Cm)	52 52 85



WOD 90 Waste Oil Drain Tank

Technical Details

Model	WOD 90
Working Form	Air Operated
Working Pressure (Bar)	0,5
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size	3/4
Weight (Kg)	32,9
Packing Weight (Kg)	36,7
Packing Dimensions (Cm)	53 65 153





WOD 90 TP Waste Oil Drain Tank

Technical Details

Model	WOD 90TP
Working Form	Air Operated
Working Pressure (Bar)	0,5
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size	3/4
Weight (Kg)	41,5
Packing Weight (Kg)	45,3
Packing Dimensions (Cm)	53 65 153





YBK 30 Waste Oil Drain Bucket

Technical Details

Model	YBK/30
Working Form	Mechanical
Capacity (Lt)	45
Weight (Kg)	11
Packing Weight (Kg)	12,35
Packing Dimensions (Cm)	40 40 94





YBK 50 Waste Oil Drain Bucket

Technical Details

Model	YBK/30
Working Form	Mechanical
Capacity (Lt)	45
Weight (Kg)	11
Packing Weight (Kg)	12,35
Packing Dimensions (Cm)	40 40 94





YBT/30 Waste Oil Drain Bucket

Technical Details

Model	YBT/30
Working Form	Air Operated
Working Pressure (Bar)	0,5
Capacity (Lt)	40
Hose Length (Mt)	1,5
Hose Size	3/4
Weight (Kg)	16,2
Packing Weight (Kg)	17,9
Packing Dimensions (Cm)	50 50 70





YBT/60 Waste Oil Drain Bucket

Technical Details

Model	YBT/60
Working Form	Air Operated
Working Pressure (Bar)	0,5
Capacity (Lt)	60
Hose Length (Mt)	1,5
Hose Size	3/4
Weight (Kg)	16,9
Packing Weight (Kg)	18,9
Packing Dimensions (Cm)	50 50 84





YBT/90 Waste Oil Drain Bucket

Technical Details

Model	YBT/90
Working Form	Air Operated
Working Pressure (Bar)	0,5
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size	3/4
Weight (Kg)	19,6
Packing Weight (Kg)	21,9
Packing Dimensions (Cm)	52 52 105





GM/10 K Covered Grease Reel

Technical Details



Model	GM 10K
Hose Length (Mt)	10
Hose Size	1/4 R2
Weight (Kg)	29,85
Packing Weight (Kg)	31,1
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



VM/10 K Covered Grease Reel



Technical Details

Model	VM 10K
Hose Length (Mt)	10
Hose Size	3/8 R1
Weight (Kg)	31,65
Packing Weight (Kg)	32,85
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



HM/10 K Covered Oil Reel

Technical Details



Model	HM 10K
Hose Length (Mt)	10
Hose Size (Mm)	10
Weight (Kg)	27,75
Packing Weight (Kg)	29
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



SM/10 K Covered Water Reel

Technical Details



Model	SM 10K
Hose Length (Mt)	10
Hose Size	3/8 R1
Weight (Kg)	31,65
Packing Weight (Kg)	32,85
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



GM/15 K Covered Grease Reel



Technical Details

Model	GM 15K
Hose Length (Mt)	15
Hose Size	1/4 R2
Weight (Kg)	32,55
Packing Weight (Kg)	33,8
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



VM/15 K Covered Oil Reel

Technical Details



Model	VM 15K
Hose Length (Mt)	15
Hose Size	3/8 R1
Weight (Kg)	34,85
Packing Weight (Kg)	36,05
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



HM/15 K Covered Air Reel

Technical Details



Model	HM 15K
Hose Length (Mt)	15
Hose Size (Mm)	10
Weight (Kg)	31,55
Packing Weight (Kg)	32,85
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



SM/15 K Covered Water Reel

Technical Details



Model	SM 15K
Hose Length (Mt)	15
Hose Size	3/8 R1
Weight (Kg)	34,85
Packing Weight (Kg)	36,05
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



GM/20 K Covered Grease Reel

Technical Details

Model	GM 20K
Hose Length (Mt)	20
Hose Size	1/4 R2
Weight (Kg)	39,7
Packing Weight (Kg)	41
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29





VM/20 K Covered Oil Reel

Technical Details



Model	VM 20K
Hose Length (Mt)	20
Hose Size	3/8 R1
Weight (Kg)	39,35
Packing Weight (Kg)	40,6
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



HM/20 K Covered Air Reel

Technical Details



Model	HM 20K
Hose Length (Mt)	20
Hose Size (Mm)	10
Weight (Kg)	35,55
Packing Weight (Kg)	37,2
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



SM/20 K Covered Water Reel

Technical Details



Model	SM 20K
Hose Length (Mt)	20
Hose Size	3/8 R1
Weight (Kg)	39,35
Packing Weight (Kg)	40,6
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



GM/10 Uncovered Grease Reel

Technical Details



Model	GM 10
Hose Length (Mt)	10
Hose Size	1/4 R2
Weight (Kg)	22,75
Packing Weight (Kg)	24
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



VM/10 Uncovered Oil Reel

Technical Details

Model	VM 10
Hose Length (Mt)	20
Hose Size	3/8 R1
Weight (Kg)	24,5
Packing Weight (Kg)	25,7
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29






HM/10 Uncovered Air Reel

Technical Details

Model	HM 10
Hose Length (Mt)	10
Hose Size (Mm)	10
Weight (Kg)	20,35
Packing Weight (Kg)	21,6
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29





SM/10 Uncovered Water Reel

Technical Details

Model	SM 10
Hose Length (Mt)	10
Hose Size	3/8 R1
Weight (Kg)	24,5
Packing Weight (Kg)	25,7
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29






GM/15 Uncovered Grease Reel

Technical Details

Model	GM 15
Hose Length (Mt)	15
Hose Size	1/4 R2
Weight (Kg)	25,45
Packing Weight (Kg)	26,7
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29





VM/15 Uncovered Oil Reel

Technical Details


Model	VM 15
Hose Length (Mt)	15
Hose Size	3/8 R1
Weight (Kg)	25,45
Packing Weight (Kg)	26,7
Case Dimension (Km)	59 53 24
Packing Dimensions (Kg)	67 60 29





HM/15 Uncovered Water Reel

Technical Details



Model	HM 15
Hose Length (Mt)	15
Hose Size (Mm)	10
Weight (Kg)	23,15
Packing Weight (Kg)	24,4
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



SM/15 Uncovered Water Reel

Technical Details



Model	SM 15
Hose Length (Mt)	15
Hose Size	3/8 R1
Weight (Kg)	25,45
Packing Weight (Kg)	26,7
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



GM/20 Uncovered Grease Reel

Technical Details



Model	GM 20
Hose Length (Mt)	15
Hose Size	1/4 R2
Weight (Kg)	25,45
Packing Weight (Kg)	26,7
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



VM/20 Uncovered Oil Reel

Technical Details




Model	VM 20
Hose Length (Mt)	20
Hose Size	3/8 R1
Weight (Kg)	32,25
Packing Weight (Kg)	33,5
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



HM/20 Uncovered Air Reel

Technical Details



Model	HM 20
Hose Length (Mt)	20
Hose Size (Mm)	10
Weight (Kg)	28,45
Packing Weight (Kg)	29,7
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



SM/20 Uncovered Water Reel

Technical Details



Model	SM 20
Hose Length (Mt)	20
Hose Size	3/8 R1
Weight (Kg)	32,25
Packing Weight (Kg)	33,5
Case Dimension (Cm)	59 53 24
Packing Dimensions (Cm)	67 60 29



Fine Oil Gun With Digital Counter

Technical Details



Model	DS 225
Hose Size	3/8 R 1
Weight (Kg)	0.90
Packing Weight (Kg)	1
Packing Dimensions (Cm)	30 25 15



Fine Oil Gun With Digital Counter

Technical Details



Model	DS 181
Working Pressure (Bar)	60
Hose Size	1/2 R 1
Weight (Kg)	1.1
Packing Weight (Kg)	1.5
Packing Dimensions (Cm)	35 25 15



SYA-G/5 Grease Mobile Lube Cart

Technical Details



Model	SYA G/5
Working Pressure (Bar)	6 8
Press Ratio	1/70
Output (gr/min)	800 1100
Capacity	Barrel
Hose Length (Mt)	5
Hose Size	1/4 R2
Weight (Kg)	51,3
Packing Weight (Kg)	53,3
Case Dimension (Cm)	70 70 105



SYA-V/5 Oil Mobile Lube Cart

Technical Details



Model	SYA V/5
Working Pressure (Bar)	6 8
Press Ratio	1/4
Output (Lt/min)	7
Capacity	Barrel
Hose Length (Mt)	5
Hose Size	3/8 R1
Weight (Kg)	44,9
Packing Weight (Kg)	46,9
Case Dimension (Cm)	70 70 105



SYA-G/10 Grease Mobile Lube Cart

Technical Details



Model	SYA G/10
Working Pressure (Bar)	6 8
Press Ratio	1/70
Output (Gr/min)	800 1100
Capacity	Barrel
Hose Length (Mt)	10
Hose Size	1/4 R2
Weight (Kg)	86,35
Packing Weight (Kg)	88,4
Case Dimension (Cm)	70 70 105



SYA-G/15 Grease Mobile Lube Cart

Technical Details



Model	SYA G/15
Working Pressure (Bar)	6 8
Press Ratio	1/70
Output (Gr/min)	800 1100
Capacity	Barrel
Hose Length (Mt)	15
Hose Size	1/4 R2
Weight (Kg)	89,55
Packing Weight (Kg)	91,6
Case Dimension (Cm)	70 70 105



SYA-V/15 Oil Mobile Lube Cart

Technical Details



Model	SYA V/15
Working Pressure (Bar)	6 8
Press Ratio	1/4
Output (Lt/min)	7
Capacity	Barrel
Hose Length (Mt)	15
Hose Size	3/8 R1
Weight (Kg)	84,8
Packing Weight (Kg)	87
Case Dimension (Cm)	70 70 105



SYA-G/20 Grease Mobile Lube Cart

Technical Details



Model	SYA G/20
Working Pressure (Bar)	6 8
Press Ratio	1/70
Output (Gr/min)	800 1100
Capacity	Barrel
Hose Length (Mt)	20
Hose Size	1/4 R2
Weight (Kg)	96,7
Packing Weight (Kg)	99
Case Dimension (Cm)	70 70 105



SYA-V/20 Oil Mobile Lube Cart

Technical Details



Model	SYA V/20
Working Pressure (Bar)	6 8
Press Ratio	1/4
Output (Lt/min)	7
Capacity	Barrel
Hose Length (Mt)	15
Hose Size	3/8 R1
Weight (Kg)	84,8
Packing Weight (Kg)	87
Case Dimension (Cm)	70 70 105



SYA-G/5 S Grease Mobile Lube Cart

Technical Details



Model	SYA G/5 S
Working Pressure (Bar)	6 8
Press Ratio	1/70
Output (Gr/min)	800 1100
Capacity	Barrel
Hose Length (Mt)	5
Hose Size	1/4 R2
Weight (Kg)	51,65
Packing Weight (Kg)	53,65
Case Dimension (Cm)	70 70 105



SYA-V/5 S Oil Mobile Lube Cart

Technical Details



Model	SYA V/5 S
Working Pressure (Bar)	6 8
Press Ratio	1/4
Output (Lt/min)	7
Capacity	Barrel
Hose Length (Mt)	5
Hose Size	3/8 R1
Weight (Kg)	45,35
Packing Weight (Kg)	47,4
Case Dimension (Cm)	70 70 105



SYA-G/10 S Grease Mobile Lube Cart

Technical Details



Model	SYA G/10 S
Working Pressure (Bar)	6 8
Press Ratio	1/70
Output (Gr/min)	800 1100
Capacity	Barrel
Hose Length (Mt)	10
Hose Size	1/4 R2
Weight (Kg)	86,7
Packing Weight (Kg)	89
Case Dimension (Cm)	70 70 105



SYA-V/10 S Oil Mobile Lube Cart

Technical Details



Model	SYA V/10 S
Working Pressure (Bar)	6 8
Press Ratio	1/4
Output (Lt/min)	7
Capacity	Barrel
Hose Length (Mt)	10
Hose Size	3/8 R1
Weight (Kg)	81
Packing Weight (Kg)	83
Case Dimension (Cm)	70 70 105



SYA-G/15 S Grease Mobile Lube Cart

Technical Details



Model	SYA G/15 S
Working Pressure (Bar)	6 8
Press Ratio	1/70
Output (Gr/min)	800 1100
Capacity	Barrel
Hose Length (Mt)	15
Hose Size	1/4 R2
Weight (Kg)	89,9
Packing Weight (Kg)	92
Case Dimension (Cm)	70 70 105



SYA-V/15 S Oil Mobile Lube Cart

Technical Details



Model	SYA V/15 S
Working Pressure (Bar)	6 8
Press Ratio	1/4
Output (Lt/min)	7
Capacity	Barrel
Hose Length (Mt)	15
Hose Size	3/8 R1
Weight (Kg)	85,3
Packing Weight (Kg)	87,5
Case Dimension (Cm)	70 70 105



SYA-G/20 S Grease Mobile Lube Cart

Technical Details



Model	SYA G/20 S
Working Pressure (Bar)	6 8
Press Ratio	1/70
Output (Gr/min)	800 1100
Capacity	Barrel
Hose Length (Mt)	20
Hose Size	1/4 R2
Weight (Kg)	97
Packing Weight (Kg)	100
Case Dimension (Cm)	70 70 105



SYA-V/20 S Grease Mobile Lube Cart

Technical Details



Model	SYA V/20 S
Working Pressure (Bar)	6 8
Press Ratio	1/4
Output (Lt/min)	7
Capacity	Barrel
Hose Length (Mt)	20
Hose Size	3/8 R1
Weight (Kg)	90
Packing Weight (Kg)	92
Case Dimension (Cm)	70 70 105



SYA-1 Mobile Lube Cart

Technical Details

Model	SYA 1
Capacity	Barrel
Weight (Kg)	39,2
Packing Weight (Kg)	42
Case Dimension (Cm)	70 100 105





SYA-2 Mobile Lube Cart

Technical Details



Model	SYA 2
Capacity	Barrel
Weight (Kg)	32
Packing Weight (Kg)	34
Case Dimension (Cm)	70 100 105



SPP/30 Fluid Sprayer Pump

Technical Details

Model	SPP/30
Working Form	Air Operated
Working Pressure (Bar)	3
Capacity (Lt)	40
Hose Length (Mt)	8
Hose Size (Mm)	8
Weight (Kg)	15,35
Packing Weight (Kg)	17,1
Packing Dimensions (Cm)	50 50 70





SPP/60 Fluid Sprayer Pump

Technical Details

Model	SPP/60
Working Form	Air Operated
Working Pressure (Bar)	3
Capacity (Lt)	60
Hose Length (Mt)	10
Hose Size (Mm)	8
Weight (Kg)	19,7
Packing Weight (Kg)	21,4
Packing Dimensions (Cm)	50 50 70





SPP/90 Fluid Sprayer Pump

Technical Details

Model	SPP/90
Working Form	Air Operated
Working Pressure (Bar)	3
Capacity (Lt)	100
Hose Length (Mt)	10
Hose Size (Mm)	8
Weight (Kg)	23,5
Packing Weight (Kg)	25,4
Packing Dimensions (Cm)	52 52 105





SP/60 Foam And Fluid Sprayer Pump

Technical Details



Model	SP 60
Working Form	Air Operated
Working Pressure (Bar)	5
Capacity (Lt)	60
Hose Length (Mt)	8
Hose Size (Mm)	8
Weight (Kg)	19,5
Packing Weight (Kg)	21,3
Packing Dimensions (Cm)	50 50 70



SP/90 Foam And Fluid Sprayer Pump

Technical Details

Model	SP 90
Working Form	Air Operated
Working Pressure (Bar)	5
Capacity (Lt)	100
Hose Length (Mt)	8
Hose Size (Mm)	8
Weight (Kg)	25,5
Packing Weight (Kg)	27,5
Packing Dimensions (Cm)	52 52 105





KP/30 Foam Sprayer Pump

Technical Details

Model	KP 30
Working Form	Air Operated
Working Pressure (Bar)	5
Capacity (Lt)	40
Hose Length (Mt)	8
Hose Size (Mm)	8
Weight (Kg)	15,7
Packing Weight (Kg)	17
Packing Dimensions (Cm)	50 50 70





KP/60 Foam Sprayer Pump

Technical Details



Model	KP 60
Working Form	Air Operated
Working Pressure (Bar)	5
Capacity (Lt)	60
Hose Length (Mt)	8
Hose Size (Mm)	8
Weight (Kg)	19,5
Packing Weight (Kg)	21
Packing Dimensions (Cm)	50 50 70



KP/90 Foam Sprayer Pump

Technical Details

Model	KP 90
Working Form	Air Operated
Working Pressure (Bar)	5
Capacity (Lt)	100
Hose Length (Mt)	8
Hose Size (Mm)	8
Weight (Kg)	23,45
Packing Weight (Kg)	25,55
Packing Dimensions (Cm)	52 52 105





YT/25 Oil Collecting Pan

Technical Details

Model	YT 25
Working Form	Mechanical
Capacity (Lt)	25
Hose Size	3/4
Weight (Kg)	9,5
Packing Weight (Kg)	11,5
Packing Dimensions (Cm)	62 45 23





YT/40 K Oil Collecting Pan



Technical Details

Model	YT 40
Working Form	Mechanical
Capacity (Lt)	40
Hose Length (Mt)	2
Hose Size	3/4
Weight (Kg)	19,9
Packing Weight (Kg)	21,9
Packing Dimensions (Cm)	62 90 26



YT/40 KP Oil Collecting Pan

Technical Details



Model	YT 40KP
Working Pressure (Bar)	6 8
Press Ratio	1/4
Air Consumption (Lt/Dk)	60 80
Output (Lt/Dk)	7
Capacity (Lt)	40
Hose Length (Mt)	2
Hose Size	3/8 R1
Weight (Kg)	30
Packing Weight (Kg)	32
Packing Dimensions (Cm)	80 90 35



YT/100 Oil Collecting Pan

Technical Details



Model	YT 100
Working Form	Mechanical
Capacity (Lt)	100
Hose Size	3/4
Weight (Kg)	21,4
Packing Weight (Kg)	23,5
Packing Dimensions (Cm)	115 70 32



GET IN TOUCH

HEAD OFFICE
Fatih Mh. Oto Parçacılar Sitesi Boyluca Sk. C
Blok No:28 Selçuklu/Konya/TURKEY
+90 332 352 62 11
info@garagetechnic.com

BRANCH OFFICE
Hacımimi Mah. Lüleci Hendek Cad. No:47A
Beyoğlu / İstanbul / TURKEY
+90 212 356 96 16
info@garagetechnic.com

www.garagetechnic.com