



**GARAGE
TECHNIC**



AUTOMOTIVE GARAGE EQUIPMENT

**PRODUCT
CATALOG**

www.garagetechnic.com



PY90 Air Operated Parts Washer



Technical Details

Model	PY 90
Working Form	Air Operated
Working Pressure (Bar)	3
Capacity (Lt)	100
Hose Length (Mt)	1,5
Hose Size (Mm)	10 16
Weight (Kg)	36,25
Packing Weight (Kg)	39,65
Packing Dimensions (Cm)	65 55 116



PY100 Manual Parts Washing Machine



Technical Details

Model	PY 100
Machine Dimension (Mm)	90 60 110
Tank Capacity (Lt)	30
Tank Dimension (Mm)	30 30 35
Weight (Kg)	50
Electric	220 V 50 Hz
Body Structure	AISI Chrome
Heater Power (Kw)	2.5
Parts Washing Brush	Standart



PY120 Manual Parts Washing Machine



Technical Details

Model	PY 120
Machine Dimension (Mm)	900 600 500
Tank Capacity (Lt)	60
Weight (Kg)	70
Electric	220 V 50 Hz
Body Structure	AISI Chrome
Heater Power (Kw)	2.5
Parts Washing Brush	Standart
Thermostat (°C)	0 80



Py 160 Manual Parts Washing Machine



Technical Details

Model	PY 160
Dimensions Working Area (Mm)	800 550
Pump Pressure (Bar)	50 60
Pump (Pcs)	1
Pump Capacity	3
Heater	1
Heater Power (Kw)	2.5
Electric	380/3
Parts Washing Brush	Standart
Thermostat (°C)	0 120
Body Structure	AISI Chrome
Tank Capacity (Lt)	60
Cover System	Amortisör



PY180 Manual Parts Washing Machine



Technical Details

Model	PY 180
Dimensions Working Area (Mm)	950 650
Pump Pressure (Bar)	50 60
Pump (Pcs)	1
Pump Capacity	3
Heater	2
Heater Power (Kw)	2.5
Electric	380/3
Parts Washing Brush	Standart
Thermostat (°C)	0 120
Body Structure	AISI Chrome
Tank Capacity (Lt)	90
Cover System	Pnömatic



PY200 Manual Parts Washing Machine



Technical Details

Model	PY 200
Dimensions Working Area (Mm)	1100 700
Pump Pressure (Bar)	50 60
Pump (Pcs)	1
Pump Capacity	3
Heater	2
Heater Power (Kw)	2.5
Electric	380/3
Parts Washing Brush	Standart
Thermostat (°C)	0 120
Body Structure	AISI Chrome
Tank Capacity (Lt)	120
Cover System	Pnömatic



750A Parts Washing Machine

Technical Details



Machine Model	750 A
Rotating Basket Diameter (Mm)	650
Loading Height (Mm)	350
Loading Capacities (Kg)	150
Pump Pressure (Bar)	4
Pump Quantity (Pcs)	1
Heater Power (Kw)	7.5
Heater Power Quantity (Pcs)	1
Electric (V / Phase)	380/3
Digital Timer (Minute)	0-60
Digital Thermostat (C°)	0-95
Cover System	Shock Absorber
Body Structure	430 Stainless
Other Parts	4140 Steel
Heat Insulation	Standard
Nozzle Quantity (Pcs)	70
Automatic Ignition System	Standard
Machine Dimensions (Cm)	90 X 100 X 120
Machine Dimensions (Cm)	106 X 100 X 125
Machine Weight (Kg)	130
Machine Weight (Kg) with Fan	140
Package Size(Cm)	115x120x135
Package Weight (Kg)	300
Parts Washing Basket	Standard
Warranty	2 Year



850A Parts Washing Machine

Technical Details



Machine Model	850 A
Rotating Basket Diameter (Mm)	750
Loading Height (Mm)	350
Loading Capacities (Kg)	200
Pump Pressure (Bar)	4
Pump Quantity (Pcs)	1
Heater Power (Kw)	7.5
Heater Power Quantity (Pcs)	1
Electric (V / phase)	380/3
Digital Timer (Minute)	0-60
Digital Thermostat (C°)	0-95
Cover System	Shock Absorber
Body Structure	430 Stainless
Other Parts	4140 Steel
Heat Insulation	Standard
Nozzle Quantity (Pcs)	70
Automatic Ignition System	Standard
Machine Dimensions (Cm)	120 X 105 X 125
Machine Dimensions (Cm)	136 X 105 X 130
Machine Weight (Kg)	160
Machine Weight (Kg) with Fan	170
Package Size (Cm)	128 X 110 X 140
Package Weight (Kg)	340
Parts Washing Basket	Standard
Warranty	2 Year



1000A Parts Washing Machine

Technical Details



Machine Model	1000 A
Rotating Basket Diameter (Mm)	900
Loading Height (Mm)	400
Loading Capacities (Kg)	250
Pump Pressure (Bar)	4
Pump Quantity (Pcs)	1
Heater Power (Kw)	7.5
Heater Power Quantity (Pcs)	1
Electric (V / phase)	380/3
Digital Timer (Minute)	0-60
Digital Thermostat (C°)	0-95
Cover System	Shock Absorber
Body Structure	430 Stainless
Other Parts	4140 Steel
Heat Insulation	Standard
Nozzle Quantity (Pcs)	70
Automatic Ignition System	Standard
Machine Dimensions (Cm)	135 X 115 X 125
Machine Dimensions (Cm)	135 X 122 X 130
Machine Weight (Kg)	180
Machine Weight (Kg) with Fan	195
Package Size (Cm) Standart	140 X 125 X 150
Package Weight (Kg)	340
Parts Washing Basket	Standard
Warranty	2 Year



1250A Parts Washing Machine

Technical Details



MachineModel	1250 A
Rotating Basket Diameter (Mm)	1150
Loading Height (Mm)	650
Loading Capacities (Kg)	500
Pump Pressure (Bar)	4
Pump Quantity (Pcs)	2
Heater Power (Kw)	7.5
Heater Power Quantity (Pcs)	2
Electric (V / phase)	380/3
Digital Timer (Minute)	0-60
Digital Thermostat (C°)	0-95
Cover System	Shock Absorber
Body Structure	430 Stainless
Other Parts	4140 Steel
Heat Insulation	Standard
Nozzle Quantity (Pcs)	100
Automatic Ignition System	Standard
Machine Dimensions (Cm)	165 X 145 X 160
Machine Dimensions (Cm)	165 X 155 X 168
Machine Weight (Kg)	370
Machine Weight (Kg) with Fan	390
Package Size (Cm) Standart	172 X 156 X 180
Package Weight (Kg)	620
Parts Washing Basket	Standard
Warranty	2 Year



1250P Parts Washing Machine

Technical Details



Machine Model	1250 P
Rotating Basket Diameter (Mm)	1150
Loading Height (Mm)	650
Loading Capacities (Kg)	500
Pump Pressure (Bar)	4
Pump Quantity (Pcs)	2
Heater Power (Kw)	7.5
Heater Power Quantity (Pcs)	2
Electric (V / phase)	380/3
Digital Timer (Minute)	0-60
Digital Thermostat (C°)	0-95
Cover System	Pinomatic Piston
Body Structure	430 Stainless
Other Parts	4140 Steel
Heat Insulation	Standard
Nozzle Quantity (Pcs)	140
Automatic Ignition System	Standard
Machine Dimensions (Cm)	170 X 145 X 175
Machine Dimensions (Cm)	170 X 145 X 195
Machine Weight (Kg)	580
Machine Weight (Kg) with Fan	600
Package Size (Cm) Standart	176 X 160 X 200
Package Weight (Kg)	880
Parts Washing Basket	Standard
Warranty	2 Year



1500P Parts Washing Machine

Technical Details



Machine Model	1500 P
Rotating Basket Diameter (Mm)	1300
Loading Height (Mm)	650
Loading Capacities (Kg)	650
Pump Pressure (Bar)	4
Pump Quantity (Pcs)	2
Heater Power (Kw)	7.5
Heater Power Quantity (Pcs)	2
Electric (V / phase)	380/3
Digital Timer (Minute)	0-60
Digital Thermostat (C°)	0-95
Cover System	Pinomatic Piston
Body Structure	430 Stainless
Other Parts	4140 Steel
Heat Insulation	Standard
Nozzle Quantity (Pcs)	140
Automatic Ignition System	Standard
Machine Dimensions (Cm)	190 X 155 X 202
Machine Dimensions (Cm)	190 X 155 X 220
Machine Weight (Kg)	620
Machine Weight (Kg) with Fan	650
Package Size (Cm) Standart	200 X 160 X 210
Package Weight (Kg)	950
Parts Washing Basket	Standard
Warranty	2 Year



2000P Parts Washing Machine

Technical Details



Machine Model	2000 P
Rotating Basket Diameter (Mm)	1800
Loading Height (Mm)	700
Loading Capacities (Kg)	800
Pump Pressure (Bar)	4
Pump Quantity (Pcs)	3
Heater Power (Kw)	7.5
Heater Power Quantity (Pcs)	3
Electric (V / phase)	380/3
Digital Timer (Minute)	0-60
Digital Thermostat (C°)	0-95
Cover System	Pinomatic Piston
Body Structure	430 Stainless
Other Parts	4140 Steel
Heat Insulation	Standard
Nozzle Quantity (Pcs)	210
Automatic Ignition System	Standard
Machine Dimensions (Cm)	242 X 210 X 230
Machine Dimensions (Cm)	242 X 210 X 245
Machine Weight (Kg)	880
Machine Weight (Kg) with Fan	920
Package Size (Cm) Standart	246 X 114 X 225
Package Weight (Kg)	1300
Parts Washing Basket	Standard
Warranty	2 Year



2500P Parts Washing Machine

Technical Details



Machine Model	2500 P
Rotating Basket Diameter (Mm)	2150
Loading Height (Mm)	700
Loading Capacities (Kg)	1000
Pump Pressure (Bar)	4
Pump Quantity (Pcs)	4
Heater Power (Kw)	7.5
Heater Power Quantity (Pcs)	4
Electric (V / phase)	380/3
Digital Timer (Minute)	0-60
Digital Thermostat (C°)	0-95
Cover System	Pinomatic Piston
Body Structure	430 Stainless
Other Parts	4140 Steel
Heat Insulation	Standard
Nozzle Quantity (Pcs)	280
Automatic Ignition System	Standard
Machine Dimensions (Cm)	295 X 270 X 250
Machine Dimensions (Cm)	295 X 270 X 280
Machine Weight (Kg)	1100
Machine Weight (Kg) with Fan	1150
Package Size (Cm) Standart	300 X 275 X 265
Package Weight (Kg) Pallet	1350
Parts Washing Basket	Standard
Warranty	2 Year



2500P Parts Washing Machine

Technical Details



Machine Model	2500 P
Rotating Basket Diameter (Mm)	2150
Loading Height (Mm)	700
Loading Capacities (Kg)	1000
Pump Pressure (Bar)	4
Pump Quantity (Pcs)	4
Heater Power (Kw)	7.5
Heater Power Quantity (Pcs)	4
Electric (V / phase)	380/3
Digital Timer (Minute)	0-60
Digital Thermostat (C°)	0-95
Cover System	Pinomatic Piston
Body Structure	430 Stainless
Other Parts	4140 Steel
Heat Insulation	Standard
Nozzle Quantity (Pcs)	280
Automatic Ignition System	Standard
Machine Dimensions (Cm)	295 X 270 X 250
Machine Dimensions (Cm)	295 X 270 X 280
Machine Weight (Kg)	1100
Machine Weight (Kg) with Fan	1150
Package Size (Cm) Standart	300 X 275 X 265
Package Weight (Kg) Pallet	1350
Parts Washing Basket	Standard
Warranty	2 Year



TWM100 Series Tunnel Parts Washing Machine

Technical Details



Model	TWM 100
Machine Dimensions	Optional
Cabinet Dimensions	Optional
Washing Line	Pre-washing / Washing / Rinsing / Pure water rinsing
Drying Room and Fan	Optional
Pump Power and Piece	3 Hp Optional
Pump Structure	Stainless steel Ceramic seal
Heater	Optional
Electric/phase	Optional
Band Safety	Optional
Thermal and Engine Protection	Optional
Timer	0 90 min.
Thermostat	0 120 °C
Body Structure	AISI Chrome
Band and Chain Structure	AISI Chrome
Total storage volume	Optional
Loading system	Manuel





MUY Series Ultrasonic Parts Washing Machines



Technical Details

Model	MUY 4	MUY 6	MUY 12	MUY 18	MUY 28
Tank Capacity (Lt)	4	6	12	18	28
Ultrasonic Frequency (Khz)	28 40	28 40	28	28	28
Power W	400	400	550	700	850
Total Power W	500	550	750	1000	1200
Tank Dimensions (Mm)	137 240 150	137 300 150	240X300X200	300 329 200	300 505 200
Machine Dimensions (Mm)	150 250 400	150 310 400	250X310X400	310 340 400	310 515 450



UPW Ultrasonic Parts Washing Machines



Technical Details

Model	UPW 600	UPW 800	UPW 900	UPW 1300
Tank Dimensions (Mm)	600 450 450	800 500 500	900 650 650	1300 800 750
Tank Capacity (Lt)	200	260	350	720
Platform (Mm)	550 300	750 400	850 500	1250 700
Platform Elevator	Optional		Standard	
Automatic Cover	Optional		Standard	
Loading Capacity (Kg)	75	150	350	550
Ultrasonic Power Weff/wpeak watts	750/1500	1500/3000	3000/6000	4500/9000
Frequency (Khz)	27			
Heater (Kw)	15			
PLC Screen	Optional		Standard	
Electric/Phase	220 380 v/3			
Oil Separator	-		Standard	
Liquid Level Control And Automatic Feeding System	Optional			Standard



DPW Dip Parts Washing Machines

Technical Details



Model	DPW 400	DPW 800	DPW 1000
Loading Capacity (Kg)	400	800	1000
Platform (Mm)	900 700	1100 700	1300 900
Tank Material	AISI Chrome	AISI Chrome	AISI Chrome
Solution Volume (Lt)	800	1200	1900
Solution Depth (Mm)	800	900	1100
Control	PLC	PLC	PLC
Platform Movement	Pneumatic Piston	Pneumatic Piston	Pneumatic Piston
Temperature Ranges (°C)	20 90	20 90	20 90
Control Voltage	24 Volt DC.	24 Volt DC.	24 Volt DC.
Electric (V/ph)	380 v / 3 ph	380 v / 3 ph	380 v / 3 ph
Air Pressure (Bar)	6 7	6 7	6 7
Thermostat (°C)	0 120 °C	0 120 °C	0 120 °C
Body Structure	AISI Krom	AISI Krom	AISI Krom
Cover Opening System	Pneumatic	Pneumatic	Pneumatic



DPC200 Diesel Particulate Cleaning Machine



Technical Details

Model	DPC 200
External Dimension (Mm)	2500 1100 2100
Floor Load Capacity (Kg)	200
Tank Capacity (Lt)	240
Power Supply	3 Ph T N Volt 380400
Heater	Lt 100 / 10 Bar Not supplied with the machine
Weight (Kg)	800
Equipment	Steam evacuation, liquid level sensor, tank insulation, differential automatic pressure, apparatus, platform, touch screen, printer, manual washing gun (10 bar), hot water washing
Body Structure	AISI 304 Stainless steel
Vapour Extraction Power Consumption	Kw 0.75 600 m3/h



GET IN TOUCH

HEAD OFFICE
Fatih Mh. Oto Parçacılar Sitesi Boyluca Sk. C
Blok No:28 Selçuklu/Konya/TURKEY
+90 332 352 62 11
info@garagetechnic.com

BRANCH OFFICE
Hacımimi Mah. Lüleci Hendek Cad. No:47A
Beyoğlu / İstanbul / TURKEY
+90 212 356 96 16
info@garagetechnic.com

www.garagetechnic.com