



**GARAGE
TECHNIC**



AUTOMOTIVE GARAGE EQUIPMENT

**PRODUCT
CATALOG**

www.garagetechnik.com



JD1024 Manual Hydraulic Rim Press Machine



Technical Details

Model	JD1024
Maximum Rim Diameter	10" 24"
Maximum Rim Width	12"
Hydraulic Engine Power	Manuel Pump
Axle Engine Power	0.25 kW, 380 V. 50 Hz. 3 Phase
Working Pressure	0 150 bar Standard 125 (Bar)
Sound Level	70 dBA
Dimensions (Mm)	600 1000 1550 mm
Weight (Kg)	185



JDT1026 Wheel Straightening & Lathe Machine



Technical Details

Model	JDT1026
Maximum Rim Diameter	10" 26"
Maximum Rim Width	12"
Hydraulic Engine Power	0,757 kW, 380 V, 50 Hz, 3 Phase
Axle Engine Power	100 Hp, 100 rpm, 0.75 kw
Working Pressure	0 250 bar Standard 150 (bar)
Sound Level	70 dBA
Dimensions (Mm)	1250 700 1500 mm
Weight (Kg)	400



JDT1028 Wheel Straightening Lathe Machine



Technical Details

Model	JDT1028
Maximum Rim Diameter	10" 28"
Maximum Rim Width	12"
Hydraulic Engine Power	0,757 kW, 380 V, 50 Hz, 3 Phase
Axle Engine Power	100 Hp, 100 rpm, 0.75 kw
Working Pressure	0 250 bar Standard 150 (bar)
Sound Level	70 Dba
Dimensions (Mm)	1250 700 1500
Weight (Kg)	400



TJD1726 Wheel Straightening Machine Truck & Buses




Technical Details

Model	TJD1726
Maximum Rim Diameter	17" 26"
Maximum Rim Width	16"
Hydraulic Engine Power	0.37 kW, 50 Hz, 380 V 3 Phase
Axle Engine Power	100 Hp, 100 rpm, 0.75 kw
Working Pressure	0 200 bar Standard 150 (bar)
Sound Level	70 Dba
Dimensions (Mm)	700 1400 1850
Weight (Kg)	900



JDT1030 Wheel Straightening & Lathe Machine



Technical Details

Model	JDT1030
Maximum Rim Diameter	10" 30"
Maximum Rim Width	20"
Hydraulic Engine Power	0.37 kW, 50 Hz, 380 V 3 Phase
Axle Engine Power	100 Hp, 100 rpm, 0.75 kw
Working Pressure	0 200 bar Standard 150 (bar)
Sound Level	70 Dba
Dimensions (Mm)	1300 800 1700
Weight (Kg)	500



JDT1030-4 Wheel Straightening & Lathe Machine 4 Piston




Technical Details

Model	JDT1030 4
Maximum Rim Diameter	10" 30"
Maximum Rim Width	20"
Hydraulic Engine Power	0.37 kW, 50 Hz, 380 V 3 Phase
Axle Engine Power	100 Hp, 100 rpm, 0.75 kw
Working Pressure	0 200 bar Standard 150 (bar)
Sound Level	70 Dba
Dimensions (Mm)	1300 800 1700
Weight (Kg)	550



JD1030 Wheel Straightening Machine



Technical Details

Model	JD1030
Maximum Rim Diameter	10" 30"
Maximum Rim Width	12"
Hydraulic Engine Power	0,757 kW, 380 V, 50 Hz, 3 Phase
Axle Engine Power	100 Hp, 100 rpm, 0.75 kw
Working Pressure	0 200 bar Standard 150 (bar)
Sound Level	70 Dba
Dimensions (Mm)	1150 700 1950
Weight (Kg)	705



NJD1030 Control Wheel Straightening Machine



Technical Details

Model	NJD1030
Maximum Rim Diameter	10" 30"
Maximum Rim Width	12"
Hydraulic Engine Power	0,757 kW, 380 V, 50 Hz, 3 Phase
Axle Engine Power	100 Hp, 100 rpm, 0.75 kw
Working Pressure	0 175 bar Standard 150 (Bar)
Sound Level	70 Dba
Dimensions (Mm)	1150 700 1950
Weight (Kg)	725



GET IN TOUCH

HEAD OFFICE
Fatih Mh. Oto Parçacılar Sitesi Boyluca Sk. C
Blok No:28 Selçuklu/Konya/TURKEY
+90 332 352 62 11
info@garagetechnic.com

BRANCH OFFICE
Hacımimi Mah. Lüleci Hendek Cad. No:47A
Beyoğlu / İstanbul / TURKEY
+90 212 356 96 16
info@garagetechnic.com

www.garagetechnic.com